

The Commonwealth of Massachusetts
Executive Office of Health and Human Services
Department of Public Health
William A. Hinton State Laboratory Institute
305 South Street, Jamaica Plain, MA 02130

DEVAL L. PATRICK
GOVERNOR

TIMOTHY P. MURRAY
LIEUTENANT GOVERNOR

JUDYANN BIGBY, MD
SECRETARY

JOHN AUERBACH
COMMISSIONER

05/31/2011

Abigail Holland
Assistant District Attorney, Suffolk County

Dear ADA Holland,

Enclosed is the information you requested in regards to Commonwealth vs. [REDACTED]
Included are copies of the following:

1. Curriculum Vitae for Michael Lawler & Della Saunders.
2. Drug Analysis Laboratory Receipt.
3. Control Cards with analytical results for samples # [REDACTED]
4. Analysis sheets with custodial chemist's hand notations and test results.
5. GC/Mass Spectral analytical data for samples # [REDACTED]

Michael Lawler was the custodial chemist and performed the preliminary testing and net weight for this sample. Della Saunders was the confirmatory chemist and analyzed the GC/MS data for this sample.

If you have any questions about these materials, please call me at the number below.

Sincerely,

A handwritten signature in black ink, appearing to read "Annie Dookhan".

Annie Dookhan
Chemist II
Drug Analysis Lab
Jamaica Plain, MA. 02130
(617) 983-6631

Curriculum Vitae

Michael Lawler

Education:

University of Virginia, Charlottesville, Va. Bachelor of Arts in English, 1975

Harvard University, Cambridge, Ma. Master of Arts in biology, 1995

Experience:

1990-present currently Chemist III, Mass. Dept. of Public Health, Drug Lab analyst determining the identity of unknown substances and providing expert testimony in the Courts. Conduct special testing for poisons within drug exhibits.

2005-present lecturer in chemistry, Curry College, Milton, Ma.

1988-1990 New England Newborn Screening (NENS) Biochemist conducting pilot studies and validation trials of new newborn screening tests. Investigator and co-author of papers noted below. Introduced screening test for Biotinidase Deficiency. Liaison with interstate collaborators in national studies.

1983-1988 Supervised NENS urine screening lab for metabolic disorders. Conducted research in collaboration with Children's Hospital (Boston) detecting neuroblastoma, a cancer of early childhood. Conducted reference testing for rare metabolic disorders for an international audience.

1982-1983 NENS hypothyroid assay technologist with Tuft's University

1979-1981 Mass. Bay Community College, staff technologist preparing materials for the laboratory technician program, which included reagents, apparatus and maintaining stock cultures of human pathogens.

Additional education and special training

Drug Analysis, completed six week training course by senior staff within the Department of Public Health Drug Analysis Laboratory

National Laboratory Network Training Program course as Expert Witness

Qualified as an expert witness in the Massachusetts Courts and the U.S. District Court
CDC course in cell culture

CDC course in antibiotic resistance

CDC course in public health response to bioterrorism

U.S. Army course in biologic warfare and terrorism

Journal Publications

Screening, 1992, 1:34-37; Lawler,M., Frederick,S., Rodriguez-Anza, S., Wolf,B., Levy,H., *Newborn Screening for Biotinidase Deficiency, Pilot Study and Follow-up of Identified Cases*

Genetic Screening, 1990, 11-18, Mitchell,M., Lawler,M., Walraven,C., Hermos,R., *To Screen or Not to Screen for Congenital Hyperplasia: Is that the Question?*

The Journal of Pediatrics, 116: 78-83, Secor-McVoy,J., Lawler,M., Schmidt, M., Ebers,D., Hart,P., Pettit,D., Blitzer,M., Wolf,B., *Partial Biotinidase Deficiency: Clinical and Biochemical Features*

Professional Affiliations

Northeastern Association of Forensic Scientists (NEAFS) since 2005

Awards

Theobald Smith Education Grant for graduate studies

Curriculum Vitae

Della Saunders

Education:

Boston University Boston, MA. Bachelors of Arts in Chemistry 1982

Experience:

1985-present: Currently Chemist III Massachusetts Department of Public Health Drug Analysis Laboratory at State Laboratory Institute Boston, MA. Responsible for analyzing unknown substances submitted by Massachusetts law enforcement agencies; operating, maintaining, and interpreting data from analytical equipment (analytical balance, microscope, gas chromatogram, ultraviolet spectrometer, infrared spectrometer, gas chromatogram/mass spectrometer); training junior level chemists; providing expert testimony to local, state, and federal courts in the Commonwealth of Massachusetts.

1984-1985: Laboratory Technician in the Media Laboratory at State Laboratory Institute Boston, MA. Responsible for making chemical reagents and media plates; operating and maintaining laboratory equipment (autoclave, pH meter, ultra-violet hood), and collecting safety data for laboratory protocols.

Training:

1985: Six week training with Senior Staff at Massachusetts Department of Public Health (MDPH) Drug Analysis Laboratory Boston, MA. Appointed Assistant Analyst MDPH

1987: One week training course in drug analysis given by the Federal Drug Enforcement Agency (DEA) McLean, VA.

1992: Training in Gas Chromatograph/Mass Spectroscopy (GC/MS) Hewlett Packard (Agilent)

1996: Training in Fourier Transform Infra-Red Spectroscopy ETA (Analect)

2001: Expert Witness Workshop National Laboratory Training network Quality Assurance/Quality Control Training (MDPH)

2002: Techniques of Supervision Training (MDPH)

1999: Notary Public Commonwealth of Massachusetts

DRUG RECEIPT

CC #

BOOK #

PAGE #

DESTRUCTION #

District/Unit

Name & Rank of Arresting Officer

ID#

DEFENDANT'S NAME

ADDRESS

CITY

STATE

Cambridge

Ma.

Boston

MA

LAB USE ONLY

DESCRIPTION OF ITEMS SUBMITTED

GROSS
QUANTITYGROSS
WEIGHTANALYSIS
NUMBER

White rock (crack cocaine) 1 loose rock

3.90g

To be completed by ECU personnel only

Name and Rank of Submitting Officer

ID#

Received by

Date

ECU Control #

No. [REDACTED]

Date Analyzed: JUN 26 2010

City: Boston D.C.U. Police Dept.

Officer: P.O. MILA DEPINA

Def: [REDACTED]

Amount:

Subst: LOOSE SUB

No. Cont: 1 Cont: pb

Date Rec'd: 06/09/2010

No. Analyzed:

Gross Wt.: 3.90

Net Weight: 0.04

Tests: 9

Prelim:

cocaine (K)

Findings:

cocaine

7/2/10

DRUG POWDER ANALYSIS FORM

6-26-10

SAMPLE #



AGENCY Boston DCM

ANALYST Mac

No. of samples tested: _____

Wood & Rose

Evidence Wt. _____

3.90

PHYSICAL DESCRIPTION:

evidence bag w/ loose substance

Gross Wt (): _____

3.9251

Gross Wt (): _____

Pkg. Wt: _____

Net Wt: _____

0.0497

CHAMBER 2334 6-18-10

20g = 20.0000g

10g = 10.0000g

5g = 4.9998g

1g = 0.9999g

PRELIMINARY TESTS

Spot Tests

Cobalt Thiocyanate

(+) (-) H+

Marquis

(-)

Froehde's

(-)

Mecke's

(-)

Microcrystalline Tests

Gold Chloride

(+)

TLTA

(+) (-) H+

OTHER TESTS

PRELIMINARY TEST RESULTS

RESULTS _____

DATE _____

GC/MS CONFIRMATORY TEST

RESULTS alcamin


MS OPERATOR DCS

DATE 6-26-10

Area Percent / Library Search Report

Information from Data File:

File Name : F:\Q2-2010\SYSTEM7\06_23_10\727004.D
Operator : ASD
Date Acquired : 23 Jun 2010 9:05
Sample Name : BLANK
Submitted by :
Vial Number : 1
AcquisitionMeth: DRUGS
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Area Percent / Library Search Report

Information from Data File:

File Name : F:\Q2-2010\SYSTEM7\06_23_10\727005.D
Operator : ASD
Date Acquired : 23 Jun 2010 9:18
Sample Name : COCAINE STD
Submitted by :
Vial Number : 5
AcquisitionMeth: DRUGS
Integrator : RTE



Ret. Time	Area	Area %	Ratio %
4.749	953985	100.00	100.00

Area Percent / Library Search Report

Information from Data File:



```

File Name       : F:\Q2-2010\SYSTEM7\06_23_10\727005.D
Operator        : ASD
Date Acquired   : 23 Jun 2010   9:18
Sample Name     : COCAINE STD
Submitted by    :
Vial Number     : 5
AcquisitionMeth : DRUGS
Integrator      : RTE
  
```

```

Search Libraries: C:\DATABASE\SLI.L           Minimum Quality: 90
                  C:\DATABASE\PMW_TOX2.L      Minimum Quality: 90
                  C:\DATABASE\NIST98.L
  
```


PK#	RT	Library/ID	CAS#	Qual
1	4.75	C:\DATABASE\SLI.L COCAINE	000050-36-2	99



Area Percent / Library Search Report

Information from Data File:

File Name : F:\Q2-2010\SYSTEM7\06_23_10\727006.D
Operator : ASD
Date Acquired : 23 Jun 2010 9:30
Sample Name : BLANK
Submitted by : MGL
Vial Number : 1
AcquisitionMeth: DRUGS
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Area Percent / Library Search Report

Information from Data File:

File Name : F:\Q2-2010\SYSTEM7\06_23_10\727007.D
 Operator : ASD
 Date Acquired : 23 Jun 2010 9:43
 Sample Name : XXXXXXXXXX
 Submitted by : MGL
 Vial Number : 7
 AcquisitionMeth: DRUGS
 Integrator : RTE



Ret. Time	Area	Area %	Ratio %
3.934	187806	9.35	10.31
4.749	1821099	90.65	100.00

Area Percent / Library Search Report

Information from Data File:



```

File Name       : F:\Q2-2010\SYSTEM7\06_23_10\727007.D
Operator        : ASD
Date Acquired   : 23 Jun 2010   9:43
Sample Name     : ██████████
Submitted by    : MGL
Vial Number     : 7
AcquisitionMeth : DRUGS
Integrator      : RTE
  
```

```

Search Libraries: C:\DATABASE\SLI.L           Minimum Quality: 90
                  C:\DATABASE\PMW_TOX2.L      Minimum Quality: 90
                  C:\DATABASE\NIST98.L
  
```

PK#	RT	Library/ID	CAS#	Qual
1	3.93	C:\DATABASE\NIST98.L		
		Imidazo[2,1-b]thiazole, 2,3,5,6-tet	006649-23-6	98
		Imidazo[2,1-b]thiazole, 2,3,5,6-tet	006649-23-6	98
		Imidazo[2,1-b]thiazole, 2,3,5,6-tet	006649-23-6	96





Area Percent / Library Search Report

Information from Data File:

File Name : F:\Q2-2010\SYSTEM7\06_23_10\727007.D
 Operator : ASD
 Date Acquired : 23 Jun 2010 9:43
 Sample Name : XXXXXXXXXX
 Submitted by : MGL
 Vial Number : 7
 AcquisitionMeth: DRUGS
 Integrator : RTE

Search Libraries: C:\DATABASE\SLI.L Minimum Quality: 90
 C:\DATABASE\PMW_TOX2.L Minimum Quality: 90
 C:\DATABASE\NIST98.L


PK#	RT	Library/ID	CAS#	Qual
2	4.75	C:\DATABASE\SLI.L COCAINE	000050-36-2	99



Area Percent / Library Search Report

Information from Data File:

File Name : F:\Q2-2010\SYSTEM7\06_23_10\727008.D
Operator : ASD
Date Acquired : 23 Jun 2010 9:55
Sample Name : BLANK
Submitted by : ASD
Vial Number : 1
AcquisitionMeth: DRUGS
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Area Percent / Library Search Report

Information from Data File:

File Name : F:\Q2-2010\SYSTEM7\06_23_10\727023.D
Operator : ASD
Date Acquired : 23 Jun 2010 13:05
Sample Name : BLANK
Submitted by :
Vial Number : 1
AcquisitionMeth: DRUGS
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Area Percent / Library Search Report

Information from Data File:

File Name : F:\Q2-2010\SYSTEM7\06_23_10\727024.D
Operator : ASD
Date Acquired : 23 Jun 2010 13:17
Sample Name : COCAINE STD
Submitted by :
Vial Number : 24
AcquisitionMeth: DRUGS
Integrator : RTE



Ret. Time	Area	Area %	Ratio %
4.749	958481	100.00	100.00

Area Percent / Library Search Report

Information from Data File:



```

File Name       : F:\Q2-2010\SYSTEM7\06_23_10\727024.D
Operator        : ASD
Date Acquired   : 23 Jun 2010  13:17
Sample Name     : COCAINE STD
Submitted by    :
Vial Number     : 24
AcquisitionMeth : DRUGS
Integrator      : RTE
  
```

```

Search Libraries: C:\DATABASE\SLI.L           Minimum Quality: 90
                  C:\DATABASE\PMW_TOX2.L      Minimum Quality: 90
                  C:\DATABASE\NIST98.L
  
```


PK#	RT	Library/ID	CAS#	Qual
1	4.75	C:\DATABASE\SLI.L COCAINE	000050-36-2	99



Area Percent / Library Search Report

Information from Data File:

File Name : F:\Q2-2010\SYSTEM7\06_23_10\727025.D
Operator : ASD
Date Acquired : 23 Jun 2010 13:30
Sample Name : BLANK
Submitted by : ASD
Vial Number : 1
AcquisitionMeth: DRUGS
Integrator : RTE



Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS